



Overhead Door adds springless sectional door model

In September, Overhead Door Brand launched the EverServe aluminum glass door Model 521s, a new door that provides light infiltration and a springless design within the sectional platform. The Model 521s is ideal for high-cycle, commercial and industrial applications.

The aluminum-framed door combines the EverServe platform with the full-view aesthetics of commercial aluminum. The 30x standard sectional door with a 300,000-cycle life features a springless design, eliminating the need for a counterbalance. Additional features include universal components, a floor-level controller, a direct-drive integrated gear, motor and brake assembly, and a built-in braking mechanism.

The door is available in sizes up to 18'1" x 20'2", various glass options, and multiple finishes, including clear (standard), light bronze, medium bronze, and dark bronze.

www.overheaddoor.com ■

DoorKing offers new ProxPlus Secure Card Readers

In November, DoorKing released its new ProxPlus line of card readers, featuring a much higher degree of security.

125 KHz proximity cards, and even some 13.56 MHz cards, can be easily copied, and there are card clone products available on the internet that allow other people to easily duplicate these cards. ProxPlus cards have a unique encryption that can only be read by a ProxPlus Secure reader which prevents unauthorized duplication of the access card.

The card codes output in a 26-bit Wiegand format and are compatible with almost any access control system on the market.

www.doorking.com ■



Re-Source Industries introduces Donkey Weenus tool

In October, Re-Source Industries added the Donkey Weenus, a bottom seal assistant tool that allows installers to replace common seals quickly and easily. The Donkey Weenus aligns on the bottom bracket roller carrier and feeds a bottom seal as it is pulled through the retainer. It works on either side of doors up to 2-1/2" thick and with bottom seals up to 5-1/2" wide.

The Donkey Weenus is in stock and available for immediate shipment. Re-Source welcomes customer suggestions about products they would like the company to offer. www.re-sourceind.com ■



Wayne Dalton launches Sectional Steel CX-Series

In September, Wayne Dalton introduced three new Sectional Steel CX-Series doors. Models CX-20, CX-24, and CX-2400 are replacing the company's current C-Series Models (C-20, C-24, and C-2400) for non-wind-load applications. The new series remains compatible with the C-Series, allowing for section replacements as needed.

The series' attributes include a pan door design, and steel and poly laminate backer options for commercial and industrial applications. Additional features include quick installation and impact sections, tongue-and-groove construction with self-forming rivets clinched to face, rails for superior stability, and a one-year limited warranty.

www.wayne-dalton.com ■



continued on page 10

Clopay Corporation introduces VertiStack Clear Door

In October, Clopay Corporation introduced the new VertiStack Clear Door, a compact door with vertically stacking sections, engineered to provide a clear, open ceiling. VertiStack Clear will be available in the company's Clopay, Cornell, and Cookson brands.

VertiStack has no hinges or exposed tracks, and its sleek look keeps lines and angles to a minimum. Additional features include clear panels, built-in gaskets between the sections, and a vinyl weather seal. It has been tested to ASTM E283 standards and meets the IECC requirements for air infiltration.

Customizable to fit openings up to 14' x 14' and available with glass, acrylic, or polycarbonate panels in tempered, frosted, insulated, and Low-E options in thicknesses from 1/8" to 5/8". Offered in a variety of anodized finishes and paint finishes.

www.clopaydoor.com/vertistack ■



DeltrexUSA highlights T108 Series push plate door control

In September, DeltrexUSA highlighted its T108 Series push plate door control. The T108 features two push plates mounted on a two-gang back plate with smooth beveled edges. Internal stainless screws, marine-type 1/4" aluminum, and an SPDT-Momentary switch are standard.



The T108 Series plates are tested to one million cycles and are available with a full list of customized options, including engraving, wording, colors, and finishes. www.deltrexusa.com ■

HySecurity unveils the StrongSlide M30 slide gate operator

In September, HySecurity unveiled its new StrongSlide M30 Hostile Vehicle Mitigation (HVM) gate operator. The StrongSlide is an all-in-one, steel framed crash-rated gate operator and barrier solution. It is the company's first crash-rated slide gate and has a M30 P1 rating with a 24' clear opening.

The StrongSlide M30 is HySecurity's latest HVM solution alongside the StrongArm M30 and M50, HydraWedge, and WedgeSmart. The M30 features a lightweight arrestor design, unified mounting template locates and gate rollers, support posts, and arrestor catch bollards; the hardware has a half-million cycle warranty.

www.hysecurity.com ■



Nice launches Gefen AVoIP Matrix Controller

In November, Nice announced that the Gefen AVoIP Matrix Controller is available for shipping. The Gefen is a solution for controlling compatible video and KVM over IP-based extenders within the same network.

The scalable, all-in-one matrix controller offers maximum control for display projects of any size. It can control and distribute content for a variety of large-scale applications and features a wealth of presets and Web GUI control.

Plug-in support for keyboard and mouse or compatible third-party touchscreens allows integrators to configure the matrix solution directly on-site rather. Users can easily switch between sources, and the controller offers real-time changes which saves time. www.niceforyou.com ■

EMX Industries highlights new Drive-Thru Alert Kit

In November, EMX Industries announced the release of the DAK-2ULT MVP Drive-Thru Alert Kit. The new kit provides an audio and visual indication that a customer's vehicle has pulled into a drive-thru lane. The system can be used in a wide variety of drive-thru applications requiring two detection zones, such as fast-food restaurants, banks, pharmacies, and other businesses.

The system includes two induction loop sensors, two loop detectors, and an alert strobe/chime. It comes ready to install with all components preinstalled in a prewired enclosure.

www.emxaccesscontrolsensors.com ■



EMX Industries releases LRS detector kit

In November, EMX Industries announced the release of their LRS Single Cut Vehicle Detector kit. The new compact, loop-less detector uses advanced three-axis, magneto-resistive sensing technology to detect and respond to changes in the Earth's magnetic field caused by ferrous objects.

The LRS is equipped with a new Detect-On-Stop feature, which allows for detection when a vehicle has come to a complete stop (not just motion). It comes in a flatpack or direct burial configuration that can be installed above or below ground. With a 5' detection radius, installers no longer need to make nine cuts to monitor vehicle presence reliably.

www.emxaccesscontrolsensors.com ■



Haas Door announces new Carbon Black option for 800 Series

In September, Haas Door expanded their Carbon Black color option to their Commercial 800 Series, representing one of the only 3"-thick black doors available on the market. The 800 Series includes a full thermal break and air infiltration bulb seal between the sections, meeting IECC code requirements.

Carbon Black has a lower gloss level and cool chemistry. The maximum door size for models 814, 816, 870, 880, and 890 is 24' x 2" x 16". TL lite options are available in models 814 and 816. The new color also has a 10-year finish warranty for delamination and rust-through. www.haasdoor.com ■



Digilock unveils new Curve lock

In September, Digilock unveiled a new upgradeable lock — the Curve. Inspired by the company's classic model, the next-generation lock features basic, advanced, or networked cloud management capabilities for anytime, anywhere control and offers wireless connectivity through Bluetooth Low Energy. Customers can choose from keypad, RFID, or Mobile ID access to further simplify deployment options.

The Curve also features an option for 24/7 networked lock management through Digilink software, integration with existing access control systems and third-party applications, and shared or assigned user functionality. Additional features include wire-free installation, ADA-compliant options, motorized opening with a deadbolt or latch, and lifetime Digilock customer support. www.digilock.com ■