



Artisan unveils Benchmark SP series composite doors

In April, Artisan Garage Doors introduced the Benchmark SP (Stain and Paint) series of garage doors featuring Acre composite, solid-wood construction, R8-urethane insulation, and a marine-grade plywood backer. Benchmark SP's lightly textured woodgrain exterior accepts stain, and when painted appears almost smooth.

The new doors are offered in Swing, Trifold, Planks, and Full View styles, with flat or V-groove panels and beveled trim. They can be ordered with factory-stain colors like Bordeaux, Cedar, Cherry, Dark Mahogany, Espresso, Teak, and Walnut; or in 21 additional stains such as Natural, Translucent, or Saturated Exterior groupings. Artisan will also factory paint the doors in select colors above LR 55.

www.artisandoorworks.com ■



Raynor introduces new polystyrene-insulated STS Doors

In May, Raynor Garage Doors introduced two steel, two-sided, polystyrene insulated, 2" thick commercial and residential door models — Raynor EnergyCore and Encore.

EnergyCore is a two-sided commercial door engineered for durability and energy savings. It is available in either 24- or 26-gauge exterior steel and offered in a variety of colors and styles.

Encore is a two-sided residential garage door also offered in a variety of colors and styles, including shaker panel and four new colors not offered on any other Raynor model. Additional features include gunite surface texture, embossed paneling, and thermal benefits at a competitive price point. www.raynor.com ■

Miller Edge offers new pulsed monitoring kits

In May, Miller Edge launched new pulsed monitoring kits for their TruGuard reflective and OptiGuard thru-beam photo-eyes. Each kit includes a photo-optic system and a Miller Edge Signature Module (Model SM-102) that, when installed, is compatible with most commercial door operators in the U.S. and Canada.

TruGuard is offered with normally closed and 10K ohm outputs (Model: TG-R-K10) or as a pulsed kit (Model: TG-R-PKIT). OptiGuard is offered with normally closed and 10K ohm outputs (Model: OG-T-K10) or as a pulsed kit (Model: OG-T-PKIT).

Additional photo-eye features include LED indicators, increased range on doors 20' and wider, and IP67 enclosures with steel hoods ideal for harsh conditions. www.milleredge.com ■



Re-Source introduces Garage Door Jamb Wraps

In April, Re-Source Industries added Garage Door Jamb Wraps to its product line. The patented jamb wraps protect garages from rodents, snakes, and other pests. By closing the jamb bottom gap, the wraps stop dirt, grass clippings, and trash from entering garages and prevent garage jambs from premature rotting.

Garage Door Jamb Wraps are produced from 22-gauge cold-rolled steel and are available in four powder-coated finishes: brown, almond, sand-stone, and white. They can also be painted to match existing finishes. Jamb Wraps fit 2" x 6", 2" x 8", 2" x 10", and 2" x 12" door jambs; they are in stock and available for immediate shipment.

www.re-sourceind.com ■





Clopay introduces LED Light Kit

In March, Clopay Corporation introduced LED Light Kits for standard and high-performance overhead rolling doors and grilles and also for counter doors (excluding fire- and smoke-rated products). The new light kit is ideal for fire and emergency services, warehouses, and parking applications.

The LED lights indicate different door positions. Red lights flash when the door is in motion and stay lit when the door is closed. Green lights indicate that the door is open, and white lights signal that the door's safety device is triggered or has malfunctioned.

The kit is available in 5', 10', or 15' sizes with the option to be retrofit to existing doors. Additional features include IP68-rated marine-grade wiring and stainless-steel hardware.

www.clopaydoor.com ■

Assa Abloy releases two new exit devices

In May, Assa Abloy launched two new exit devices — the PE80 Series by Sargent PE80 and the PED4000/PED5000 Series by Corbin Russwin.

The new exit devices are engineered for modern buildings and to withstand heavy usage and offer a lifespan of 20-30 years.

Additional features include sloped, flush surfaces to eliminate catch points and minimize damage related to impact from carts, reinforced mounting brackets to ensure end caps never fall off from excessive contact, and electric latch retraction on FEMA-certified devices. They also offer multiple indicators, push rail dogging, and master keying with security key systems.

The models are offered with multiple design options and are designed for a variety of applications.

www.assaabloy.com ■



Garaga unveils Black Satin glass

In April, Garaga introduced new 40" x 13" Black Satin glass windows for their garage doors. The Black Satin glass is designed to enhance curb appeal and complement current residential exterior design trends that feature modern accents and black windows and frames.

Black Satin provides a 4/5 privacy level and a mirror effect, helping to create a minimalist look for homeowners, architects, and designers seeking a sleeker look. It is available with R-16 and R-12 polyurethane-insulated doors.

www.garaga.com ■

ArmRLite unveils Bespoke Architectural Collection

In April, ArmRLite Overhead Doors introduced its Bespoke Architectural Collection in response to the growing demand for custom glass and aluminum overhead sectional doors that align horizontally and vertically with adjacent building details and accents.

The Bespoke Collection is available for residential and commercial overhead doors and is offered in an extensive selection of colors, textures, section heights (including under and oversized), and glass widths.

ArmRLite highlighted a project in West Chester, Pa. featuring a Bespoke Architectural Collection door with a custom light-sequin metallic finish that matched the aluminum and glass storefronts of the building and featured 40" sections aligned with an adjacent curtain wall of glass. www.armrlite.com ■





Hörmann highlights doors for cold, food, and beverage applications

In March, Hörmann highlighted its extensive line of high-performance doors designed for cold storage, food, and beverage applications. The Chillfast high-speed roll-up freezer door system has an insulated curtain that remains flexible in temperatures as low as -22 F.

The HD-SD 3050 high-performance rubber door is ideal for fast-paced, rugged blast-cell door openings and has an opening speed of up to 48 inches per second, a knock-away bottom bar, and a frequency drive motor.

The Speed-Commander 1400 SEL Cool-Master has a 3 mm-thick gray foam curtain material that maintains flexibility in areas over 33 F and helps keep condensation to a minimum. The Speed-Commander 1400 SEL Food-Master is ideal for general food processing applications.

The HDD rubber dock door is manually operated and features a low-profile design. The fast and highly insulated Speed-Guardian 5000 rigid door is perfect for ramps that lead to cold docks. www.hormannus.com ■



Clopay adds new aluminum and glass door models

In March, Clopay Corporation expanded its modern aluminum and glass garage door line with the new residential Avante Sleek and Commercial Models 905/906. The sectional overhead doors feature horizontal tempered glass or acrylic panels with minimal stiles for broad and unobstructed views with plenty of natural light.

Depending on the door model and height, single car doors up to 10'2" wide have no center stile, double doors have one center stile, and doors up to 22'2" wide have two equally spaced vertical stiles.

Offered with 12 window options, multiple frame colors, and several track designs. Avante Sleek doors and Commercial Model 905/906 are available from 4'0" to 20' wide and 16' tall and from 4'0" to 22'2" wide and up to 16' tall, respectively. www.clopaydoor.com ■

Hörmann introduces epoxy-painted track and hardware options



In April, Hörmann announced that new epoxy-painted track and hardware options for sectional door models are now accessible for their Eastern and Central U.S. sectional door market.

Available in black, dark bronze, and white, the durable epoxy paint has been cycle-tested and is more cost-effective than the powder coating process. Lead times for epoxy-painted hardware are significantly more favorable than traditional powder coating. www.hormannus.com ■

Overhead Door launches Legacy operator with LED lighting

In March, Overhead Door expanded their Legacy 850 family of 24V operators with the addition of Models 2129L and 2129BL. The new models offer integrated LED lighting that is 25,000-hour rated, energy-efficient, low-maintenance, and are frequency-tuned not to interfere with transmitter range.

Both models come standard with integrated OHD Anywhere Wi-Fi and smartphone control capabilities, as well as battery backup for Model 2129BL. The new operators offer 24V DC motors with variable speed, which enables soft-start and soft-stop operation and helps increase the life of the opener. www.overheaddoor.com ■



EMX introduces the IRB-RET2

In April, EMX Industries launched the IRB-RET2 universal retroreflective photo-eye designed to provide entrapment protection for automatic gates and doors.

The compact IRB-RET2 features an easy alignment LED, integrated sensor hood, improved reflector hood, and a ball-and-socket mounting bracket for simplified installation.

Compatible with monitored operators and unmonitored legacy products, it also offers a selectable stealth mode for added security against vandalism. The IRB-RET2 is UL325-2018 compliant, housed in a rugged enclosure, and is suitable for indoor and outdoor use. www.emxinc.com ■



Garaga launches Grey Sandblasted glass

In April, Garaga launched Grey Sandblasted glass for 40" x 13"-sized windows. The new glass option features a privacy level of 4/5 and is available in sealed non-tempered Thermopane only. It is being introduced with Garaga's R-16 polyurethane-insulated doors in the Standard+ series, as well as the Eastman series, and features real overlays for a swinging door effect.

Grey Sandblasted glass windows are ideal for grey doors because the glass complements the door color. White Sandblasted glass is also available. www.garaga.com ■



Wayne Dalton introduces new woodgrain finishes

In May, Wayne Dalton launched high-resolution digital finishes with realistic wood prints for their Classic Steel Model 8300. The natural beauty of real wood is captured through digital scanning technology, allowing engineers to digitally construct each door with a nonrepeating woodgrain pattern.

Model 8300 is available in four finishes: Cedar, Beachwood, Carbon Oak, and Medium Oak. Wayne Dalton uses technology to print the woodgrain design directly on the garage door surface. The digital printing is engineered to withstand exposure to elements such as UV radiation, moisture, and temperature fluctuations, ensuring durability and resistance to fading and peeling. www.wayne-dalton.com ■

New colors for Hörmann Commercial Polyurethane models

In March, Hörmann introduced new color options for their Commercial Polyurethane product line. In addition to Standard White, the 440U and 450U are now available in Brown, Sandstone, and Metallic Silver. The Hörmann Galaxy Paint System is also an option for the commercial doors. www.hormannus.com ■



Wayne Dalton unveils new steel storm shelter doors

In March, Wayne Dalton introduced its Rolling Steel Storm Shelter Doors series, designed to meet rigorous standards for inclement weather conditions, fires, and break-ins. Available in three models, the new series is ideal for schools, emergency operations centers, storefronts, saferooms, and other commercial facilities.



Features include 12-gauge curved slats, free-interlocking joints, a natural watershed to reduce corrosion, and a double-angle bottom bar to

strengthen and protect against forced entry.

Model 800F and Model 800FR feature wind load design pressure tested to +/- 300 psf and are impact-rated for up to 100 mph. Model 800FR is fire-rated for up to four hours, bears the Warnock Hersey Mark for fire safety, and comes standard with a Genie GCL-H Fire Door operator.

Model 800FE is not only ballistics-rated for .22LR-.38 special (NIJ 0108.01), but it also meets the requirements for up to 30 minutes of forced entry per ASTM F3038-21. www.wayne-dalton.com ■



Midland Door Solutions highlights bifold doors

In May, Midland Door Solutions highlighted their custom bifold doors for new and existing buildings. The doors have heavy-gauge steel tubing and a jig-welded truss system. A single-latch system with a safety switch comes standard on every door.

The opening system has a 5-to-1 safety rating. Additional features include an optional integrated safety switch and cold-formed steel hinges that are welded to the door's frame and linked together with 5/8" and 3/4" cold-formed hinge pins.

Midland doors are available in three types of insulation and can be customized to match any building color. Door sheeting and trim are available in 26- or 29-gauge ribbed steel, and the interior liner panels also are 29-gauge ribbed steel. Each bifold door is built to individual customer specification at Midland's new 40,000-sq.-ft. facility in West Fargo, N.D. www.midlanddoorsolutions.com ■

Clopay introduces CrossingGard with ThreatProtect

In May, Clopay Corporation introduced the CrossingGard with ThreatProtect for its Cornell and Cookson grilles, doors, and insulated doors. The new closing solution can open in the event

of fire alarm or create lock down zones when a hostile event alarm is triggered, which limits an intruder's movement within a building.

ThreatProtect controls are determined by the end user. The operating system uses two alarm inputs and self-contained backup power. The product allows the operator to customize the grille or door's movements. It also includes a key override, a wireless sensing edge, and a battery backup, allowing the door or grille to operate and respond to alarm conditions during a power outage.

It is available in a variety of finishes and the optional ScreenGard. Solid doors are offered in sizes up to 20' x 50', insulated doors are available up to 17' x 10', and grilles are available up to 20' x 15'. www.clopaydoor.com ■



Nice launches new smart HR40 remote and DC Power Manager

In April, Nice North America announced that preorders for the HR40 Multifunction Smart Home Remote Control and the DC12-IP Smart DC Power Manager are available. The HR40 features include swipe, scroll, and touch controls that allow users to control and personalize media, lighting, climate, security, surveillance, and more.

The Nice DC12-IP is a smart compact power management and protection solution featuring a space-saving design, provision for remote power and energy management, and scheduled on/off commands to reduce excess energy consumption. www.niceforyou.com ■



Miller announces ParkDoc during live webinar



In May, Miller Edge hosted a live webinar to announce the launch of ParkDoc, a residential parking aid for use on interior residential garage flooring. With ParkDoc, drivers can park

their vehicles in their garage without the risk of damaging the doors or the vehicle. When vehicle tires make contact with a ParkDoc, drivers know they have reached their prescribed parking location.

ParkDoc can be customized with a company name and contact information, giving garage door companies a way to promote their brand to homeowners. It is available in two models — PD-16-C for customized ParkDoc or PD-16-M for Miller Edge branded ParkDoc. www.milleredge.com ■

Clopay launches new corrosion-resistant door line

In March, Clopay Corporation introduced their Corrosion Resistant Service and Insulated Doors, available through the company's Cornell and Cookson brands. The rolling service doors are engineered to inhibit oxidation and red rust and to withstand extreme commercial and industrial environments such as water treatment plants, chemical storage facilities, coastal and marine environments, and other applications where corrosion is a concern.

The doors' components are coated with zirconium. A ZRG powder-coated shaft, zinc-coated bearings, and corrosion-resistant fasteners ensure the doors are built for interior or exterior openings. A corrosion-resistant NEMA 4X Operator comes standard on each of the doors.

The door curtain and guides are available in stainless steel with a #4 finish or clear anodized aluminum in sizes up to 15' x 15'. For more extreme weather conditions, specifiers can choose stainless-steel doors that withstand up to 40 PSF. www.clopaydoor.com ■



Raynor touts new QuickDock door

In May, Raynor highlighted its new patent-pending QuickDock door. QuickDock is engineered to make door dock installations easier, faster, and safer. The company announced that the new dock door can be installed in less than 30 minutes per door, which is half the time typically required. www.raynor.com ■

IDC Spring

**Garage
door
springs
are our
thing.**

idcspring.com | 763-786-6527

