




Clopay unveils Thermiser Max rolling door with low U-factor

In October, Clopay Corporation introduced its next-generation Thermiser Max - Low U Insulated Rolling Door. With a U-factor rating of 0.532, the Thermiser Max - Low U Door has been validated by third-party testing using the door industry's most accurate measure of thermal performance.

The low U-factor is made possible by Clopay's CPVC backer, which creates a thermal break in the curtain assembly and significantly lowers the thermal transfer rate compared to metal-on-metal joint assemblies. The Thermiser Max door is

ideal for exterior applications where climate control and energy efficiency are critical, such as warehouses and heavy equipment storage facilities. The low 0.532 U-factor translates into measurable savings.

The door also offers a Sound Transmission Rating of up to 27 for the full assembly and meets ASHRAE 90.12, IECC 2021, and California's Title 24 air infiltration requirements with an independently tested value of < 0.3 CFM/ft². www.clopaydoor.com ■



Wayne Dalton elevates DaltonDock equipment line

In September, Wayne Dalton updated its DaltonDock equipment line with enhanced Mechanical Pit Leveler options. The levelers are now offered with expanded dimensions and increased weight capacities.

The new M78WD levelers are 7' wide and 8' long and have weight capacities of 30K, 35K, 40K, and 45K. The existing M68WD levelers, which are 6' wide by 8' long, now include weight capacities of 30K and 40K in addition to the existing 35K and 45K options. Additionally, 18" and 20" lip options are available on both models, which provides further flexibility to meet diverse loading dock needs.



DaltonDock Mechanical Pit Levelers are packed with features, including an extended 24-month warranty available when a Pit Leveler is purchased with a Wayne Dalton door. www.wayne-dalton.com ■

Genie introduces child guard battery lock

In September, The Genie Company launched its new patent-pending child guard battery lock, a mechanical system designed to secure the coin cell batteries in Genie garage door opener remotes.

The new battery lock underscores Genie's commitment to safety and innovation, particularly in response to the recent federal regulation named Reese's Law. The law, passed by Congress to prevent child access to small batteries, emphasizes the critical safety need to secure coin cell batteries in household products.

The mechanical system is engineered to meet stringent requirements. It is integrated into Genie garage door opener remotes that use coin cell batteries, and it includes a tamper-resistant battery compartment that requires a tool to open, which provides an extra layer of protection against accidental ingestion or injury.

Remotes equipped with the child guard battery lock will be available at major retailers, online, and at your Genie professional line dealer. www.geniecompany.com ■

Fehr rolls out new Eclipse Roller

In November, Fehr Bros. introduced the Eclipse Roller. The new high-quality 2" nylon roller is designed for durability and noise

reduction. It features a stem encapsulated in glass-reinforced nylon and offers three times the corrosion protection of standard rollers.

Manufactured with a double-sealed, high-precision 608-2RS bearing and pregreased with dual rubber seals, Eclipse rollers are built to last. They are available in 4" and 7" stem lengths, and side-by-side testing shows Fehr rollers achieve two to three times the cycles and display only half the wear compared to competitors' rollers. www.fehr.com ■





Amarr adds Long Recessed Panel option to Olympus doors

In September, Amarr Company announced that the Olympus OL3200 is now available with a new Long Recessed panel design option. The Long Recessed panel design is available in eight colors and is the perfect complement to modern, mid-century modern, and traditional home architectural styles.

“This new panel design is a classic look found in traditional wood garage doors now available in stamped steel,” Amarr Vice President of Marketing and Innovation Vickie Lents said. “Market research tells us homeowners are desiring classic designs in home exterior and garage door design.” www.amarr.com ■


Guardian Smart AC GDOs and beam Smart Controller now available

In October, Guardian Access & Door Hardware announced that their beam Wi-Fi-ready AC operators (models 4150V, 4250V, and 4280V) are now available to order.

These operators include the plug-and-play beam Smart Port on the control center. The beam Smart Controller can be added before, during, or after installation. Once connected, homeowners can access the beam Home app and program their smart device to control their door.

Models 4250V and 4280V are also equipped with motion-sensing lighting, which automatically turns on the operator’s courtesy light when someone enters the garage. The beam Smart Controller is only compatible with Guardian GDOs with the beam Smart Port (V-model designations).

www.guardianaccess.com ■



Hörmann extends new colors for ProTech ThermaTech products

In October, Hörmann released new standard color offerings in the U.S. and Canada for the Pro Tech 2500 and Therma Tech 3400 product lines. The new standard steel colors include Desert Tan, Hunter Green, and Teratone.

Additionally, all four Timberlast wood-look color options are now offered from coast to coast: Golden Oak, Medium Oak (replaces Medium Woodgrain for Western markets), Walnut (replaces Dark Woodgrain for Western markets), and Rosewood.

These updates expand the options for pan and sandwich products, adding a total of five new standard options to the sandwich line. Previously, only sandwich products with woodgrain were available for Hörmann’s Western U.S. and Canadian customers. www.hormann.us ■

Wayne Dalton adds Black finish option to Classic Steel doors

In November, Wayne Dalton introduced a new black color for its most popular Classic Steel Models 9100 and 9605. Black is backed by the company’s exclusive Cool Chemistry paint technology, which is designed to resist fading and protect against thermal expansion that can occur with dark-colored finishes. www.wayne-dalton.com ■



continued on page 12

NATIONAL
DOOR INDUSTRIES, INC.

**Residential &
Commercial
Window Frames**

Design Trim

Weatherseal

**Carriage Door
Hardware**

Lubricants

FASTENERS

Nuts, Bolts, Washers, Lags,
Tapping Screws, Anchors

HARDWARE

Cable, Low Headroom, Angle Iron,
Latches, Locks, Handles,
Hinges, Rollers

LUBRICANTS

Door Lubricants, Private Label,
Hand Wipes

TOOLS

Angle Shears & Punches, Hand Tools,
Cable Tools, Sockets

WEATHERSEAL

Stop Mold, Astragal, Vinyl & Brush
Seals, Bottom Seals, Bottom Rails

CARRIAGE DOOR

Magnetic Polymer Hardware,
Stamped Steel Hardware

**Serving the industry for
OVER 55 YEARS**

NATIONAL DOOR INDUSTRIES, INC.
Fort Worth, Texas
817-834-7300

www.natdoor.com

Schweiss Doors launches vertical hydraulic pump design

In October, Schweiss Doors introduced its new vertical hydraulic space-saving pump design. The new pump allows easier access to the motor, oil filter, gauges, and backup tractor fittings. Each unit comes with standard hydraulic tractor fittings to raise or lower the door at any time without electricity. The vertical hydraulic pump can be mounted on the floor, on a wall, under a bench, or in a back room.

Also standard are velocity fuses on both cylinders, which allow a Schweiss hydraulic system to lock in place and prevent it from coming down or falling on airplanes, machinery, or people. www.bifold.com ■



EMX enhances WEL-200 Wireless Edge Link

In October, EMX Industries announced improvements to the WEL-200 Wireless Edge Link. The primary improvement is the new Real-Time Signal Quality Display, which displays the signal quality of an Rx to Tx link. The TX1 - TX4 LEDs show which transmitter's connection quality is currently been displayed. The TX SEL button cycles through them.

Additional enhancements include the Signal Quality Display Values/Thresholds, a more focused user interface, an antenna warning label, and a new board with white silkscreen on black PCB. www.emxinc.com ■

Overhead Door introduces Black for 1400 and 1500 series

In November, Overhead Door Brand introduced a Black color for its popular Traditional Steel 1400 and 1500 garage door series. The new color option brings a bold and contemporary option to homeowners seeking to enhance their home's curb appeal.

There are three design options available: standard panel, long panel, and vertical short panel. The premium paint finishes are applied directly to the steel coil at the supplier and utilize a Cool Chemistry paint technology by AkzoNobel that helps to guard against thermal expansion and degradation of color and gloss. www.overheaddoor.com ■





Wayne Dalton launches wind-load-rated aluminum full-view models

In November, Wayne Dalton introduced the Contemporary Aluminum Model 8855 (residential) and the Aluminum Full-View Model 453 (commercial). Built to meet local building codes, including the Florida Building Code and Static and Impact approvals, the new aluminum full-view models feature large windows for natural light and unrestricted view.

Engineered to withstand severe weather, Models 8855 and 453 offer enhanced wind-load protection, handling design pressures up to +50/-50 PSF, and also offer an impact-rated option with design pressures of up to +48/-54 PSF. The doors also include impact and joint seals between sections and various glass alternatives for additional weather resistance.

Model 8855 is available up to 20'2" x 20'1" or up to 18'2" x 20'1" for impact-rated designs. The Aluminum Full-View Model 453 is available up to 22'2" x 20'1" or up to 18'2" x 20'1" for impact-rated designs.

www.wayne-dalton.com ■

ArmRLite renews NFRC-Certified Product Directory listing

In July, ArmRLite's listing in the National Fenestration Rating Council's (NFRC) Certified Product Directory (CPD) was renewed, meaning ArmRLite's Custom C.I. Model with NFRC Package meets the highest thermal testing requirements set by NFRC. The company's CPD# is ARL-M-1.

To maintain its certification, ArmRLite undergoes yearly inspections by an independent third party and must retest every five years, which ensures that the Custom C.I. product line with NFRC Package and the manufacturing facility continue to meet and exceed industry standards.



The NFRC label enables customers to easily find and compare energy performance ratings. Each certified model comes with a permanent NFRC label and a temporary label listing the Visible Light Transmittance value, U-Factor, Solar Heat Gain Coefficient, and Air Infiltration Value. The temporary NFRC label values are unique to each project and are based on the insulated glass unit supplied in the door(s). www.armrlite.com ■

continued on page 14

TORSION & EXTENSION SPRINGS



**AMERICAN-MADE QUALITY
AT AN AFFORDABLE PRICE**

NOW SHIPPING COAST TO COAST



AMERICAN SPRING, INC.

310 324-9347

FAMILY OWNED & OPERATED
FOR OVER 20 YEARS



PROUDLY
MADE IN
USA

ORDERS@AMERICANSRING.COM AMERICANSRING.COM



American Spring adds Primera Precision coiler machine

American Spring announced the addition of a Primera Precision 20 mm coiler machine, Model SHA-6200, purchased from A&D Trading, LLC. The advanced CNC machine can produce springs with wire sizes ranging from .354" to .787" and a maximum inside diameter of 9.84".

Equipped with six axes, the SHA-6200 offers versatile manufacturing capabilities, which enables the production of a wide range of spring shapes and sizes to meet diverse industry requirements. The investment emphasizes American Spring's commitment to expanding its product line and enhancing its production capacity to better serve its customer base.

www.americanspring.com ■



Overhead Door unveils innovative Air Curtain

In November, Overhead Door Brand unveiled an Air Curtain for their 991 RapidFlex commercial doors, which are designed to enhance hygiene and operational efficiency in cooler applications within the food and beverage industry. By preventing the escape of cold air and blocking contaminants, the addition ensures products remain perfectly chilled and safe.

The versatile air curtain can be tailored to fit any facility's unique needs and is ideal for maintaining a controlled environment. It is available in a variety of options, including nonheated, heated, wash-down, and stainless. www.overheaddoor.com ■

Amarr introduces Smooth Flush Doors

In November, Amarr Company unveiled the latest addition to their residential and commercial product offering. The Amarr EOS (residential) and Amarr 2448 (commercial) doors feature a completely smooth and flush exterior with no embossment.

In addition to the minimalist design (available in either black or white), the doors offer durable steel construction and are 1-3/4" thick with a 24-gauge exterior panel and polyurethane insulation (with an R-value of 13.5).

The Amarr EOS is offered with black- or white-frame SlimLine windows, and the Amarr 2448 is available with three window style options. These doors integrate into modern architectural homes and buildings and add a touch of sophistication. www.amarr.com ■



Haas Door incorporates Carbon Black for commercial series

In November, Haas Door announced the addition of Carbon Black for its Commercial Ribbed Steel Series. Designed to cater to modern commercial applications, the new low-gloss, dark finish brings a polished and contemporary look to any industrial or business setting.

Carbon Black aligns with current trends of darker and bolder finishes in commercial design. Users can see the impact of Carbon Black on their properties with the HaasCreate digital tool, which allows them to visualize the finish in real-time. www.haasdoor.com ■


continued on page 16



AkzoNobel launches Expressions Standard Color Palette

In November, AkzoNobel Coil and Extrusion Coatings launched their Expressions Standard Color Palette program. The high-performance, silicone-modified, polyester-textured print coating features a woodgrain effect and was developed with the advanced Ceram-A-Star 1050 platform.

It utilizes AkzoNobel's proprietary resins and additives, and the technology is applied through a traditional print roll process in order to deliver natural looking prints that mimic materials like wood, slate, or granite in lap siding, board, and batten applications. www.akzonobel.com ■



Clopay introduces CrossingGard with ThreatProtect

In May, Clopay Corporation introduced CrossingGard with ThreatProtect, which is available on grilles, doors, or insulated doors, through its Cornell and Cookson brands. ThreatProtect creates lockdown zones when a hostile event alarm is triggered or opens to allow movement in the event of a fire alarm.

Ideal for educational facilities, medical complexes, and large venues, the product can help restrict an intruder from moving freely about the building, obstruct an intruder's view, or open an egress for evacuation.

ThreatProtect installs similar to a standard rolling door installation and offers a direct line of communication from the central command to the grille or door itself. It also includes a key override, battery backup, and wireless sensing edge.

Solid doors are available in sizes up to 20' x 50', insulated doors are available in sizes up to 17' x 10', and grilles are available in sizes up to 20' x 15'. www.clopaydoor.com ■



Wayne Dalton offers Modern Metallic options for Model 8350

In November, Wayne Dalton launched three new metallic finishes for its Classic Steel Collection with the new Model 8350. Now available in Black Frost, Bronze, and Silver, homeowners have expanded contemporary design possibilities. The Model 8350 is available in Clear Long, Clear Short, Narrow, and Double Narrow window styles.

The new metallic finishes feature smooth and nontextured surfaces, are designed for durability and low maintenance, and feature a paint formulation that helps prevent scratches. They are available with wind-load options, which ensure that they meet stringent safety and durability standards for homes in areas prone to severe weather conditions. www.wayne-dalton.com ■



Nice debuts Premium Toolless Architectural Speakers

In September, Nice debuted its new Premium Toolless Architectural Speakers at the CEDIA Expo in Denver. The series encompasses three performance levels across 14 speakers and gives the installer enhanced flexibility.

AccuAim tweeters and fine-tuning switches allow installers to tailor the sound for each room. The new speakers are built with quality materials, including oversized tweeters, high-end crossovers, and precision-tooled components, which minimize distortion, improve linearity, and deliver crystal-clear dynamic sound. www.niceforyou.com ■