products

LiftMaster launches WLED opener with more lighting

In August, LiftMaster launched its new WLED DC Battery Backup LED Wi-Fi residential garage door opener. Its Corner to Corner Lighting system helps evenly distribute light to fill the entire garage with 3,100 lumens of daylight-like lighting.

The product responds to homeowner desires for more lighting in the garage. Since the WLED is equipped with LEDs, "homeowners will never have to change a garage light bulb again."

Key features include an integrated battery backup, DC motor, and the smart home capabilities offered by its built-in Wi-Fi and myQ technology. The unit can be customized with an automatic garage door lock, wireless keyless entry, and a mini universal remote control. www.liftmaster.com/p/WLED



Tailwind introduces new garage door gadget

In May, Tailwind announced its "most advanced" smartphone-enabled garage door controller, the iQ3. Using patent-pending GPS technology, this gadget can sense which vehicle a homeowner is driving and

automatically open and close the door based on the situation. Users can assign multiple vehicles, including motorcycles and ATVs, to various garage doors.

The iQ3 works with most garage door openers and can control up to three doors. It can also be integrated with Amazon Alexa, Google Home, and IFTTT.

Key features include night mode, which closes the garage doors automatically at night and makes sure they stay closed. Additional features include a history log, unlimited multi-user management, notification management, and alarm types.

Tailwind is based in Niagara Falls, Ontario.

www.gotailwind.com

CornellCookson launches low-headroom grille

In August, CornellCookson announced the new Extreme 300 Series MicroCoil Grille for high-traffic, low-headroom applications. This product reduces headroom for rolling grilles by 50 percent while providing the desired level of safety and security.

"This innovation presents a huge savings for architects, designers, and facility managers working in tight spaces or in retrofit projects," said Siva Davuluri, director of product strategy.

The new product meets 2010 ADA Standards for Accessible

Design, which requires 98" of opening clearance for lifted vans. It also offers the advantage of no maintenance for 300,000 cycles (besides daily checks), an Apex SmartController, and light curtains as standard. Plus, its thicker links help to prevent noise and vibration.

www.cornellcookson.com/microcoil







LiftMaster introduces hurricane-rated garage door lock

In June, LiftMaster announced that its Automatic Garage Door Lock (Model 841LM), when used as a mandatory two-point garage door locking system, has been approved through a certified testing laboratory to meet hurricane-ready requirements throughout the U.S., except in Miami-Dade County, Fla.

When two Automatic Garage Door Locks are installed with certain LiftMaster garage door openers on select code-compliant garage doors, the engaged locks reinforce the garage door automatically when the garage door is closed. This solution eliminates the added step of engaging manual locks; once the garage door is closed, it is hurricane ready.

The lock is the garage door industry's first UL-approved accessory deadbolt lock. It is available with LiftMaster 8500W, 8550W, 8587W, and 8360W models manufactured after August 2017. www.liftmaster.com/p/841LM

NewsLines The Latest News In Our Industry

products

City Gates announces new rolling door

In August, City Gates USA announced the new high-stress door Model CGE330, which has been tested to meet ASTM E330 wind loads.

The door is available up to 35' wide in a variety of gauges and steel finishes that include galvanized, powder coated, and stainless steel #4. In addition to UL-listed 3-hour rolling steel doors, City Gates offers a complete line of perforated rolling steel doors, a urethane-insulated door that is 1" thick for an R-value of 8.7, and all types of commercial and European grille gates. www.citygatesusa.com



New LiftMaster products meet updated 2018 UL 325 standard

Starting Aug. 1, 2018, all LiftMaster slide gate operators will meet the new UL 325 standard, which requires a minimum of two monitored safety entrapment protection devices in both the open and close directions. The inherent reversing system, built into the operator, counts as one device.

LiftMaster slide gate operators will be shipped with two external safety entrapment protection devices including a LiftMaster Monitored Safety Edge and new LiftMaster Retro Reflective Photo Eyes for easy installation. LiftMaster swing gate operators will also be shipped with the new photo eyes that maintain alignment in challenging environments.

LiftMaster understands that every installation is unique and that it is the responsibility of installers to ensure all entrapment zones are protected with a minimum of two entrapment protection devices installed properly. www.liftmaster.com



Wayne Dalton adds all-window option

In July, Wayne Dalton introduced a new all-window option for its commercial sectional ThermoMark Model 5150. The option combines the look of an aluminum full-view garage door with the durability of an insulated sectional steel door.

The all-window door option is available in the flush panel in both short (Clear I) and long (Clear III) windows. ThermoMark Model 5150 is made with foamed-in-place polyurethane insulation between the steel sections of the door. www.wayne-dalton.com

EMX photoeye meets 2018 UL requirements

In August, EMX Industries announced that its IRB-325 photoeye is now UL325-2018 compliant for NC monitoring.

The IRB-325 thru-beam photoeye features an operating range up to 65' and a NEMA 4X enclosure and is compatible with many operators. Its steel hood protects against environmental exposure and damage from vehicles and other equipment. www.emxinc.com



Torque Force announces new pusher spring

At the 2018 IDAExpo in Las Vegas, Torque Force introduced its new quieter version of its PS65 pusher spring that reduces noise when its components are compressed, unlike similar products on the market.

The product was developed in response to customer feedback and a growing trend for quieter doors. A pusher spring is usually used with a jackshaft operator to avoid the possibility of thrown cables.

www.groupecanimex.com/en



NewsLines The Latest News In Our Industry

products



C.H.I. adds wind-load Stamped Shaker doors

In August, C.H.I. Overhead Doors announced that wind-load Stamped Shaker garage doors are now available.

Originally released in March, the Stamped Shaker door features clean, simple lines and a minimalist design. It is available in a variety of construction types and design features. www.chiohd.com

Delden announces upgrades

In August, Delden announced several upgrades for its commercial polyurethane-insulated garage doors.

First, the tongue and groove joint seal has been improved by moving the bulb seal from the middle to the front of the section on models DTC-1350 and 2500/2520. This enhances protection against air and water infiltration without affecting compatibility with the old section profile.

In addition, the interior profile is also replaced on all models with a better-looking pencil-groove profile similar to the exterior profile. DTC-1350 and DTC-2500 polyurethane doors also now come with built-in 20-gauge backer plates as standard, allowing for full-sized hinges. www.deldenmfg.com



Entrematic expands flush panel offering


In August, Entrematic introduced a flush panel option for the Amarr Stratford ST1000 and ST2000 and the Amarr Lincoln LI1000 and LI2000. The new flush panel design is constructed with stucco-embossed steel and features a horizontal shadow line.


The new flush panel option is available in four colors: true white, almond, sandtone, and dark brown, as well as in the Color Zone program. www.entrematic.us

Re-Source adds more carriage house hardware



In August, Re-Source Industries announced the







The Southwest-inspired 17"
Tucson hinge and the new clavos are made of solid aluminum. The
Lone Star Accent, a 4"-diameter
ring with a star in the center, is made of die-cast
zinc with a nail stud.

The versatile 2" Star Clavo and 3" Diamond Clavo are also made of die-cast zinc with nail studs. All pieces are available in Elegance finish in copper, oil-rubbed bronze, black, satin nickel, or dark-earth finish. www.re-sourceind.com



In June, Overhead Door added a new all-window option for its Thermacore model 195, offering long or short windows across all sections of the door.

Homeowners can select from nine different color options, including white, almond, desert tan, sandstone, terra bronze, brown, hunter green, gray, and black. Windows placed on the bottom section of the door have DSB, 1/8" tempered or 1/2" insulated glass for extra strength. www.overheaddoor.com ■



GET YOUR GLIDE ON

SLIPIT. A 70-year love affair with a lubricant.

After 70 years, you might not think a lubricant would retain the loyalty and devotion of customers around the world. Yet SLIPIT customers have found it to be the best lubricant around, something we were reminded of when RPI, one of America's top engineering schools, conducted independent research, which conclusively proved SLIPIT to be the leader in load carrying and wear reduction.

SLIPIT is odorless, stays where it's put and doesn't attract dust or grime. Join the legions of SLIPIT users and discover the best in the business.

To order or to learn why SLIPIT is the best, call 845/778.7219, email info@slipit.com or visit slipit.com.

We'd love to hear from you.



Rated #1 in testing by Rensselaer Polytechnic Institute (R.P.I.) for load carrying and wear reduction. Odorless. Prevents rust. FDA and USDA accepted in use areas with potential incidental food contact. Silicone or Silicone-free lubricants. Compound, Spray or liquid.

DON'T LUBE IT.
SLIPIT.

NewsLines The Latest News In Our Industry

products

SafedoorPM expands dealer support program

In August, SafedoorPM announced that it had updated and expanded its dealer marketing support program to help door dealers with planned maintenance business.

The program provides SafedoorPM dealers with a cobranded, out-of-the-box



preventive maintenance marketing program that includes a SafedoorPM "explainer" video, sell sheets, custom-branded labels, best practices, marketing tips, social media campaigns, and new customer referrals. The marketing support program is included free with a SafedoorPM subscription. www.safedoorpm.com



Kelley and Serco Versachock wheel chock now available

In June, Entrematic (Loading Dock Products) announced its new Kelley Versachock (Model KMC) and Serco (Model SMC) wheel chock wireless trailer restraint system. The Versachock provides a simple, cost-effective means of securing trailers while communicating operation status with drivers and dock workers.

The Versachock is a vehicle restraint system that accommodates a variety of

trailers and vehicles regardless of the condition or presence of an ICC bar. Versachock includes a patent pending wireless engagement design that provides wheel detection at all engagement ranges and requires no chock cabling or permanent structure installed on the drive to secure the vehicle. It also fulfills the requirements of OSHA Regulation 29 CFR - 1910.26(b)(2), www.kelleyentrematic.com and www.sercoentrematic.com



Safe-Way Door announces new color

In June, Safe-Way Door announced that its Deluxe Series of garage doors is now available in black.

"Black doors are just part of an overall push to increase our color options on our doors," said Billy Thompson, VP of sales. https:// safewaydoor.com/black-deluxe-series