



### Overhead Door launches first wall-mount openers

In January, Overhead Door introduced its first residential wall-mount garage door openers, the Infinity 2000 models. Models 9020H and 9120H-B are ideal for homes with limited headroom or ceiling space. The Overhead Door Wireless Wall Console comes standard with both models and features a jogger button with a 30-second delay to exit the garage.

Models 9020H and 9120H-B are available with a 24V DC motor and operate residential sectional doors weighing up to 850 lbs. Model 9120H-B offers integrated OHD Anywhere technology, and battery backup comes standard. [www.overheaddoor.com](http://www.overheaddoor.com) ■

### Linear debuts Entry Pro Telephone Entry Systems



In January, Linear introduced its Entry Pro EP-736, EP-436, and EP-402 Telephone Entry Systems. The Entry Pro is ideal for small businesses, gated communities, gym facilities, and multi-dwelling residential buildings.

Available in a 7" touchscreen or 4.3" display, the browser-managed Entry Pro offers

adjustable backlighting, an LED screen, faceplate with weatherproofing seals, and an improved housing. New features include a more powerful CPU board, motion sensor, ambient light sensor, and optional HD IP camera.

The EP-402 controls up to two doors and four readers, offers 16 gigabytes of storage with capacity for up to 1,000 users and 5,000 access cards, and has the ability to scale to 36 doors. [www.nortekcontrol.com](http://www.nortekcontrol.com) ■



### CornellCookson promotes Protect Pro line

In April, CornellCookson promoted its Protect Pro line of damage-resistant products,

including the Heavy-Duty Bottom Bar (HDBB), RapidResponse Door, and Rolling Door Protector (RDP).

The HDBB is 350% stronger and 4" taller than a standard bottom bar. When hit, it deflects the force and bounces back even after repeated abuse.

The RapidResponse Door is available with 3' or 6' of extra curtain and features an impactable bottom bar and removable lower guide sections. The RDP is designed to be hit first instead of the rolling door's coil area; it flexes and transfers impact force across the apparatus.

[www.cornellcookson.com](http://www.cornellcookson.com) ■

### Hörmann introduces Speed-Commander 1500

In March, Hörmann High Performance Doors introduced the Speed-Commander 1500 Compact to its series of interior doors. The 1500 Compact features low-profile anodized aluminum guide tracks with integrated wiring, an opening speed of up to 60" per second, and a SoftEdge bottom profile. An optional aluminum bottom bar with breakaway tabs is available for applications with more air pressure.

A built-in light grid is included, which monitors the closing zone of the door up to 8' and reverses the door if a light beam is interrupted. An optional remote keypad allows users to operate door functions remotely. [www.hormann.us](http://www.hormann.us) ■



### Amarr Door Centers offer ATA rolling door operators

In February, Entrematic announced that Amarr Door Centers will offer two light-duty commercial operators from Automatic Technology America (ATA).

The Dominator Easyroller features a slim profile that requires as little as 1.6" of side room for installation. The DC motor features soft opening and closing, and an LED light provides security.

The Dominator Shedmaster is designed for exposed applications and offers an IP24-rated weather-resistant housing and keyed lockout feature. Both models include an intelligent safety system that stops or reverses the door when it makes contact with an obstruction. [www.entrematic.com](http://www.entrematic.com) ■





### ArmRLite launches TimbRLite door

In March, ArmRLite introduced the TimbRLite aluminum overhead door. The new model features engineered wood with panels offered in a variety of finishes and design options, including glass options, windload, or insulated frames.

The TimbRLite can be manufactured up to 20' x 2" wide and is offered with a 20-year welded frame warranty. [www.armrlite.com](http://www.armrlite.com) ■

### Overhead Door enhances Model 5800



In February, Overhead Door added panel designs and color options to its Model 5800 Impression Steel Collection doors. New enhancements include tall section heights, large windows, and a new recessed panel option with pinstriped and recessed-stamp design.

Several new colors are now available for the vertical raised and recessed panels including desert tan, gray, terra bronze, and black.

[www.overheaddoor.com](http://www.overheaddoor.com) ■

### Overhead Door unveils Heavy-Duty Rail

In February, Overhead Door launched its Heavy-Duty Rail, a double reinforced C-channel rail for residential doors of up to 500 lbs. Compatible with all existing Overhead Door openers, the Heavy-Duty Rail can supplement any screw, belt, or chain drive models.

The Heavy-Duty Rail weighs approximately twice as much as a standard rail of the same length and drive type. It comes preassembled in one or two pieces, depending on the size, and offers the same warranties as standard-duty alternatives. [www.overheaddoor.com](http://www.overheaddoor.com) ■



### Rytec introduces Spiral LP

In March, Rytec introduced its new Spiral LP low-profile high-performance door featuring a low-headroom configuration and a low-profile side column requiring only 6.5" of clearance.

Standard features include double-walled anodized aluminum slats, integral rubber weather seals, a continuous heavy-duty hinge system, and a variable-speed AC drive system with soft acceleration and deceleration.

The Spiral LP is ideal for parking, automotive, commercial, institutional, and residential applications. Available in models designed with 9" tall full-vision or full-ventilation slats. [www.rytecdoors.com](http://www.rytecdoors.com) ■

### Raynor releases opener with built-in camera

In March, Raynor released the Sentinel opener with built-in camera. The DC belt drive battery-backup opener includes a built-in wide-angle, 1080p HD camera. The camera features night vision and is rated for use in temperatures ranging from 13° F to 131° F.

Additional features include livestreaming and two-way audio capability that provides real-time communication between a smartphone and a garage. [www.raynor.com](http://www.raynor.com) ■





## Raynor adds TM200C options

In March, Raynor added full-view window sections and two new color options to the TM200C. The 2"-insulated commercial door is now offered in Kynar Ivory and Charcoal and a wide variety of window options. [www.raynor.com](http://www.raynor.com) ■



## Raynor announces Sleek Sightline glass

In March, Raynor announced that its StyleView AV200 and AV300 models are now available with Sleek Sightline glass. The new glass option is only offered for Raynor's StyleView aluminum doors with wide profile and one or two panes. [www.raynor.com](http://www.raynor.com) ■



## Rytec introduces Sure-Seal door

In March, Rytec launched its Sure-Seal high-speed, high-performance fabric conveyor door designed for automated storage and retrieval environments (ASRS) and features speeds of up to 100" per second and an energy-efficient insulated panel.

The Sure-Seal standard I/O expansion board and System 4 programming allow integration with existing ASRS control and monitoring systems. The new door is available in sizes up to 6' wide x 13' tall.

[www.rytecdoors.com](http://www.rytecdoors.com) ■



## Amarr expands glass options

In April, Amarr announced that all standard glass options are now available for the Olympus OL3138 and Designer's Choice DC3138 models, and the OL3138 is now available with the mosaic window option.

New glazing options for the Olympus and Designer's Choice models have also been added and now include obscure, frost, insulated frost, dark tint, insulated dark tint, and decraglass. Clear and clear insulated options are still available. [www.amarr.com](http://www.amarr.com) ■

## Delden offers black for more collections

In March, Delden added black to its Delvation 100-400 and Vintage 100-400 steel door collections. Options now available in black include non-insulated, vinyl-back insulated, 1-3/8" polystyrene steel-back insulated, and 2" polystyrene steel-back insulated.

[www.deldenmfg.com](http://www.deldenmfg.com) ■







### Raynor adds new Woodtones

In March, Raynor added new woodtone for select AP200LV panels. The new dual-direction Distinct Finish Woodtones simulate the look of an authentic wood door. The oak woodgrain patterns run vertical between the embossed panels and horizontal with the rails creating true grain appearance. [www.raynor.com](http://www.raynor.com)



### Haas Door expands Charcoal color offering

In February, Haas Door added Charcoal as an option for all its steel garage door products. Charcoal is the newest color offering in the Steel 2400 Series and Steel 2500 Series for residential and commercial garage doors.

[www.haasdoor.com](http://www.haasdoor.com)



### Phantom Screens announces new MeshLock feature

In January, Phantom Screens unveiled a new MeshLock feature for its retractable door screens. MeshLock is a mesh retention system that keeps door-screen mesh secure in the top and bottom tracks when the screen is extended or retracted.

The new feature prevents the mesh from blowing off the track during breezy conditions and blocks insects and debris from entering the home.

MeshLock is available in 36" and 48" pull lengths.

[www.phantomcreens.com](http://www.phantomcreens.com)



Insulated Frost (FA)



Insulated Dark Tint (DA)

### Delden introduces insulated glass options

In January, Delden Garage Doors added frost and dark tint insulated glass options to most of its residential garage door line. The new options are now offered on the Delvation 300-600, the Vintage 300-600, the Delcraft 200 models, and multiple Deltrim steel-overlay doors. [www.deldenmfg.com](http://www.deldenmfg.com)



**You can't fight fire with fire, but you can fight it with ASTA.**

To learn more visit:  
[AstaDoor.com/fire-doors](http://AstaDoor.com/fire-doors)  
or call: 770-847-8942



### SAFETY. PROTECTION. SAVINGS.

Extinguish the fire before it starts. U.L. tested and approved, the **500 Series Rolling Steel Fire Door** is the fastest way to slow or prevent a fire from spreading throughout your building.